

Single Package Air Conditioner and Heat Pump Units

Contents

Overview	3
SPXC Series	4
SPAC/SPHP Series	5
Thermostat Options	6
Electrified Product Family	7
Other Products	8





SPXC Page 4
SPAC/SPHP Page 5



About Ice Air

Ice Air has over 50 years of industry experience in developing and manufacturing a wide variety of HVAC units to provide superior new construction heating and cooling systems and to replace old installations. Ice Air offers advanced green technologies and provides world-class comfort at high efficiency levels, meeting environmental standards and promoting a healthy environment.

Ice Air's state-of-the-art units can be equipped with digital controls designed to optimize user comfort and ease of operation. Ice Air products are designed to provide years of trouble-free operation and reliable performance in multifamily housing, hotels/motels, dormitories, commercial buildings and similar projects. Units are ideal for new construction, retrofit and replacement applications.

Overview

Quiet Comfort...Efficient Control...Flexible Design

Ice Air Air Conditioners and Heat Pumps SPAC/SPHP provide reliable performance, high-efficiency operation and allow ultimate design flexibility.

Ice Air SPAC/SPHPs utilize the highest quality materials and manufacturing practices in order to provide quiet comfort operation. Thermal and sound insulation, paired with precisely-sized air handling components deliver low sound levels while achieving optimum comfort. Work without distraction. Sleep without noise. Ice Air units create a comfortable environment so quiet it's almost undetectable.

Maintaining the highest quality product means lee Air products meet all UL standards and conform to ASHRAE 90.1, local building codes and energy standards. All Ice Air products are ETL-listed for safety in the U.S. and Canada. All SPAC/SPHP are certified with the California Energy Commission.

Every project is different with distinctive needs outside of providing comfort to the space. Ice Air units are available in a multitude of configurations with a wide variety of options and accessories to create a custom design tailored to the needs of the project.



SPXC Series



Single Packaged Air Conditioners (SPACs) are as convenient to service as a PTAC while providing the benefits of concealed ducted systems. SPACs can be hidden in a closet or behind a wall and serve multiple spaces via concealed ductwork. With the introduction of Ice Air's breakthrough cold climate technology our line of Single Packaged Heat Pumps (SPHPs) would allow for efficient heat pump operation on the coldest days.



SPECIFICATION NOTES:

- 1. Rated performances in cooling mode @ 80°F/67°F DB/ WB Indoors and 95°F/75°F DB/WB Ambient
- 2. Rated performances in heating mode @ 70°F/60°F DB/WB Indoors and 47°F/43°F DB/WB Ambient
- If the electric heat option is selected, the heat pump operation is disabled and electric heat enabled below -5°F (+/- 3 °F).
- Units without electric heat will operate below -5°F with derated performance. Performance below -5°F has not been certified.

Defining Cold Climate

- Heating performance laboratory tested and certified to -5°F
- The theoretical lower limit for heating operation is -25°F ambient
- Provides cooling operation down to 38°F

What You Would Expect

- Industry leading efficiency
- Sustainable R-410a Refrigerant
- Standard dimension wall plenum, compliant with US DOE requiremen (23-5/8" W x 32-5/8" H)

SERIES MODEL #	8SPXC12	8SPXC24		
Cooling Capacity (Btu/hr)¹	11,200	24,000		
Sensible Capacity (Btu/hr) ¹	9,900	18,500		
Cooling Capacity Range (Btu/hr)	9,700 - 15,700	13,900 - 25,600		
EER1	13.0	11.0		
Cooling Operating Range	38°F TO 115°F			
Cooling Input (Watts)	862	2,182		
Cooling Input (Amps)	4.1	10.4		
Heating Capacity (Btu/hr) ²	11,400	21,000		
Heating Capacity Range (Btu/hr)	7,600 - 14,500	15,100 - 25,900		
COP ²	3.5	3.3		
HSPF ²	9.0	9.0		
Heating Outdoor Operating Range	-5°F TO 70°F			
Heating Input (Watts)	955	1,865		
Heating Input (Amps)	4.6	9.0		
Electric Heat (kW)	3.5 5.0	5.0 7.5		
Voltage	208	208		
MCA (without Electric Heat)	9.8	18.8		
MOP (without Electric Heat)	15	25		
MCA (with Electric Heat)	22.5 27.8	28.9 47.8		
MOP (with Electric Heat)	25 30	30 50		
Airflow (CFM)	400	800		
Outside Air (CFM)	60	60		
Max External Static Pressure - ESP (in.wg.)	0.3	0.3		
Weights (lbs.)	220 360			
	LOW AMBIENT PERFORMANCE			
Heating Capacity @ 10°F	9,100	16,800		
COP @ 10°F	2.34	2.18		
Heating Capacity @ 5°F	8,800 16,200			
COP @ 5°F	2.17 2.02			
Heating Capacity @ -5°F	8,200 15,100			
COP @ -5°F	1.85 1.68			

SPAC/SPHP Series



Designed to condition multiple rooms, the Ice Air Air Conditioners and Heat Pump SPAC family are unique air-to-air units that work on an exterior wall, providing concealed, quiet, cost effective, efficient cooling and heating.

With electric heat and outside air options, Ice Air's SPACs have variations which provide the right solution for any new construction or replacement project.

Features:

- Meets new 11.0 EER requirements
- Electronically commutated motors included



SERIES MODEL #	8SPHP12	8SPHP18	8SPHP24	8SPHP30	8SPHP36
COOLING CAPACITY*	11,500	16,800	24,000	27,500	32,500
SENSIBLE CAPACITY	8,630	12,600	18,000	22,500	24,900
EER	13.0	11.0	11.0	11.0	11.0
COOLING WATTS	884	1,527	2,182	2,500	2,955
COOLING AMP	4.3	7.3	10.4	12.0	14.2
HEATING CAPACITY**	11,400	15,200	19,000	24,000	27,500
HEATING COP	3.5	3.3	3.3	3.3	3.3
HEATING WATTS	955	1,350	1,687	2,130	2,441
HEATING AMP	4.6	6.5	8.1	10.2	11.7
ELECTRIC HEAT	3.5 5.0	5.017.5	5.017.5	5.017.5	5.017.5
VOLTAGE	208	208	208	208	208
INDOOR CFM	400	600	800	1,000	1,200
MAX. ESP (INDOOR)	0.3"	0.3"	0.3"	0.3"	0.3"
MCA (WITHOUT ELECTRIC HEAT)	10.8	13.3	21.1	23.8	29.4
MAX FUSE (WITHOUT ELECTRIC HEAT)	15	20	30	30	40
MCA (WITH ELECTRIC HEAT)	22.5 27.8	28.7 47.4	28.9 47.8	29.5 48.3	33.3 48.3
MAX FUSE (WITH ELECTRIC HEAT)	25 30	30 50	30 50	30 50	40 50
CHASSIS WEIGHT	180	180	225	320	320

SPECIFICATION NOTES:

^{* =} BTUH @ 95 °F. DB/75 °F. WB OUTDOORS; 80 °F. DB/67 °F. DB INDOORS.

^{** =} BTUH @ 47 °F. DB/43 °F. WB OUTDOORS; 70 °F. DB/60 °F. DB INDOORS.



Ice Air's thermostats for its lines of PTACs, WSHPs, Fan Coils, SPACs and Hybrid Water-Cooled ACs are designed for ease-of-use and efficiency. Unit-mounted controls are standard (accessible through an attractive brushed aluminum control door). Optional wall-mounted remote controls are available.



Habitat Wireless Thermostat

- Attractive, user-friendly design
- Wireless or wired connection
- Mobile app provides full control from anywhere, anytime
- Wi-Fi enabled for Smart App control options
- Works with Alexa or Google Assistant





Programmable Digital Touchscreen Thermostat

- Streamlined touchscreen display
- Intuitive design makes configuration fast and easy



Programmable Digital LCD Thermostat

- Easy-to-read digital display
- Compact, attractive design
- User-friendly for quick configuration



Non-Programmable LCD Digital Touch Pad Thermostat

- Touchpad interface controls basic functions
- Designed for simple operation



Non-Programmable LED Digital Touch Pad Thermostat

- Touchpad interface controls basic functions
- Designed for simple operation



for FCVE/FCVC only

Manual Temperature and Fan Speed Dial Thermostat

- Straightforward design for controlling basic functions
- Allows for easy thermostatic control



for PTAC/PTHP only

Manual Temperature and Mode Dial Thermostat

- Designed for Packaged Terminal Units
- Simple to operate
- Provides basic control functions



Whether driven by corporate policy or local greenhouse gas emission legislation, the movement to reduce carbon dioxide emissions – also known as decarbonization – is gaining momentum. As building owners explore ways to reduce reliance on fossil fuels and meet increasingly stringent environmental requirements, **building electrification** has emerged as a proven strategy for reducing emissions while increasing efficiency and lowering operating costs. Building electrification is the process of replacing existing technologies that rely on fossil fuels – such as space heating systems – with newer technologies such as heat pumps that use electricity as the energy source for both heating and cooling.

Numerous states around the U.S. – including California, New York, Washington DC, and others – have adopted regulatory policies aimed at reducing greenhouse gas emissions. Such regulations stress the role of electrification in decarbonizing the built environment and have wide-ranging implications for utilities, building engineers and architects, OEMs and building owners.

As an established HVAC original equipment manufacturer, Ice Air has been ahead of the of building electrification and decarbonization movement for decades. We're proud to leading the way and usher in a better tomorrow with innovative, reliable and efficient systems – all designed to help building owners make the transition to a greener, efficient and sustainable future.

Electrified Product Family











RSXC

Packaged Terminal Heat Pump SPXC

Single Packaged Vertical Heat Pump HPWH

Heat Pump Water Heater - Domestic HW VOIII GE

Geothermal Vertical Stack Heat Pump




Electrified Product Family



By making energy-saving upgrades today, you can give vour building a head start on upcoming changes to city regulations such as NYC Law 97.

RSXC Series*

Cold Climate PTHPs give you the performance of a VRF system with the convenience of a PTAC.



RSXC-S Series*

Ice Air's RSXC-S Series Cold Climate heat pumps offer a slim, sleek design and efficiently provide space heating to -5°F and below.

SPXC Series*

Cold Climate SPHPs are self-contained, concealed, ducted systems. This line of vertical packaged heat pumps serves multiple spaces through concealed ductwork to efficiently provide space heating to -5°F and below.

HPWH Series*

Air-Source Cold Climate Heat Pump Water Heaters capture the free energy in the environment and convert it to hot water. These units are certified to operate down to -13°F.



New technologies like Variable Refrigerant Flow (VRF) are on the move. There is no denying the benefits of VRF any longer, and with Ice Air VRF, these benefits are delivered simply and effectively.

HPWH-SC Series

Air-Source Cold Climate heat pump chiller heaters capture free energy in the environment to provide

both hot and chilled water. These units are certified to operate down to -13°F.









VSHPGE Geothermal

Ice Air's Geothermal WSHP is a versatile geothermal heat pump that is available in a range of sizes and configurations for convenient installation. Fully compatible with geothermal conditions, it provides an ideal solution for whisper quiet cooling and heating within a tight footprint.

NEW! Ice Air CEU Webinar

Learn more about the role HVAC electrification plays in building decarbonization today at www.iceairceu.com.

Other Products



Fan Coil Units









HWCAC

Wall Mounted

Hybrid Water-Cooled Air Conditioners



HWCACs provide hydronic heat without using the unit's compressor through an innovative system that combines highefficiency cooling with a hot water coil.

WSHP

Water Source Heat Pumps



WSHPs provide efficient room-by-room comfort. Units function independently and are piped to a central water loop.

This simple and easy cooling and heating solution provides reliable performance, high efficiency, ease of operation, low cost, easy installation, quiet comfort and a variety of solution-based options.

SPAC/SPHP



Single Packaged **AC/Heat Pumps**

As a unique air-toair system, SPAC/ SPHPs provide versatility with ultraquiet operation. The SPAC/SPHP is designed to

cool and heat single or multiple spaces within multi-family, lodging, dormitory or light commercial buildings.

Packaged Terminal Air Conditioners



PTACs are designed for ultra-high efficiency and comply with LEED® criteria in a durable, user-friendly package. Available for

new construction, retrofit and ExactFit™ replacement applications.



80 Hartford Avenue, Mount Vernon, NY 10553 Tel: 877-ICE-AIR-1 (877-423-2471) Main: 914-668-4700

Fax: 914-668-5643 email: sales@ice-air.com

www.ice-air.com

© 2023 by Ice Air, LLC ICE6033.5 03/23